

MFA-11902/04 09 MAR 2000

TRANSMITTAL LETTER TO THE UNITED STATES

DESIGNATED/ELECTED OFFICE (DO/EO/US)

CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (IF KNOWN) SEE 37 CFR

097508301

INTERNATIONAL APPLICATION NO.

PCT/EP98/05765

INTERNATIONAL FILING DATE

10 September 1998

PRIORITY DATE CLAIMED

10 September 1997

TITLE OF INVENTION

METHOD AND DEVICE FOR PROCESSING FRESH MEAT

APPLICANT(S) FOR DO/EO/US

SCHLEGEL, Jurgin; VERHAAG, Hubert; SCHWORER, Wilfried

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/ISPEA/409).
12. ☒ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☒ Certificate of Mailing by Express Mail
20. ☐ Other items or information:

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.492(a)(1)-(4)) 097306301	INTERNATIONAL APPLICATION NO. PCT/EP98/05765	ATTORNEY'S DOCKET NUMBER MFA-11902/04
---	--	---

21. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)): <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$970.00 <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$840.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$690.00 <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$670.00 <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$96.00	CALCULATIONS PTO USE ONLY												
ENTER APPROPRIATE BASIC FEE AMOUNT =	\$840.00												
Surcharge of \$130.00 for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492 (e)). <input type="checkbox"/> 20 <input type="checkbox"/> 30	\$0.00												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">CLAIMS</th> <th style="width: 25%;">NUMBER FILED</th> <th style="width: 25%;">NUMBER EXTRA</th> <th style="width: 35%;">RATE</th> </tr> <tr> <td>Total claims</td> <td>17 - 20 =</td> <td>0</td> <td>x \$18.00</td> </tr> <tr> <td>Independent claims</td> <td>2 - 3 =</td> <td>0</td> <td>x \$78.00</td> </tr> </table>	CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	Total claims	17 - 20 =	0	x \$18.00	Independent claims	2 - 3 =	0	x \$78.00	\$0.00 \$0.00
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE										
Total claims	17 - 20 =	0	x \$18.00										
Independent claims	2 - 3 =	0	x \$78.00										
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>	\$0.00												
TOTAL OF ABOVE CALCULATIONS =	\$840.00												
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). <input type="checkbox"/>	\$0.00												
SUBTOTAL =	\$840.00												
Processing fee of \$130.00 for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492 (f)). <input type="checkbox"/> 20 <input type="checkbox"/> 30 +	\$0.00												
TOTAL NATIONAL FEE =	\$840.00												
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>	\$0.00												
TOTAL FEES ENCLOSED =	\$840.00												
	Amount to be refunded: \$ charged: \$												

☒ A check in the amount of **\$840.00** to cover the above fees is enclosed.
☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
 A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **07-1180** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Douglas W. Sprinkle, Reg. No. 27,394
 Gifford, Krass, Groh, Sprinkle, Anderson & Citkowski, P.C.
 280 N. Old Woodward Ave., Ste. 400
 Birmingham, MI 48009
 (248)647-6000

SIGNATURE _____
 Douglas W. Sprinkle
 NAME _____
 27,394
 REGISTRATION NUMBER _____
 3/9/00
 DATE _____

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Jürgen Schlegel et al.

Serial No.:

Group Art Unit:

Filed:

Examiner:

For: METHOD AND DEVICE FOR PROCESSING FRESH MEAT

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Prior to the examination of this application, please amend the application as follows:

IN THE CLAIMS:

Claim 3, line 1, delete "one of the preceding claims" and insert --claim 2--.

Claim 4, line 1, delete "one of the preceding claims" and insert --claim 3--.

Claim 5, line 1, delete "one of the preceding claims" and insert --claim 4--.

Claim 6, line 1, delete "one of the preceding claims" and insert --claim 5--.

Claim 7, line 1, delete "one of the preceding claims" and insert --claim 6--.

Claim 8, line 1, delete "one of the preceding claims" and insert --claim 7--.

Claim 9, line 1, delete "claims 7 and 8" and insert --claim 8--.

Claim 10, line 1, delete "one of the preceding claims" and insert --claim 9--.

Claim 11, line 1, delete "one of the preceding claims" and insert --claim 10--.

Claim 12, line 1, delete "one of the preceding claims" and insert --claim 11--.

Claim 13, line 1, delete "one of the preceding claims" and insert --claim 12--.

Claim 15, line 1, delete "one of the preceding claims" and insert --claim 14--.

Claim 16, line 1, delete "one of the preceding claims" and insert --claim 15--.

09/508301-401000

If the Examiner has any questions relating to the application, Applicant's attorney may be reached at (248) 647-6000.

Douglas W. Sprinkle
Registration No. 27,394
Attorney for Applicant
Gifford, Krass, Groh, Sprinkle,
Anderson & Citkowski, P.C.
280 N. Old Woodward Ave., Suite 400
Birmingham, MI 48009-5394
(248) 647-6000

GS-C:\docs\DWS\MFA11902-pre.doc

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) AND 1.27 (c)) - SMALL BUSINESS CONCERN		Page 1 of 1 Docket No. MFA-11902/0
Serial No. 09/508,301	Filing Date March 9, 2000	Patent No.
Applicant/ Patentee:		Issue Date
Juergen Schlegel Hubert Verhaag Wilfried Schwoerer		
Invention:		
PROCESS AND APPARATUS FOR THE TREATMENT OF FRESH MEAT		
I hereby declare that I am:		
<input type="checkbox"/> the owner of the small business concern identified below:		
<input checked="" type="checkbox"/> an official of the small business concern empowered to act on behalf of the concern identified below:		
NAME OF CONCERN: <u>Vivotec New Concepts in Fresh Meat GmbH</u>		
ADDRESS OF CONCERN: <u>Adelholmstrasse 17, D-47652 Weeze / Germany</u>		
I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 37 CFR 1.21.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.		
I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above identified invention described in:		
<input type="checkbox"/> the specification filed herewith with title as listed above.		
<input type="checkbox"/> the application identified above.		
<input checked="" type="checkbox"/> the patent identified above.		
If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed on the next page and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).		

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.
☐ each such person, concern or organization is listed below.

FULL NAME _____
 ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
 ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
 ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
 ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: X Hubert Verhaag
 TITLE OF PERSON SIGNING: X Managing Director
 OTHER THAN OWNER:
 ADDRESS OF PERSON SIGNING: X Hinderath 10

D-47623 Kevelaer

SIGNATURE: X Hubert Verhaag DATE: X 02-05-2000

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☐ no such person, concern or organization exists
☐ each such person, concern or organization is listed below.

FULL NAME _____
ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: *X* Hubert Verhaag

TITLE OF PERSON SIGNING: *X* Managing Director

OTHER THAN OWNER: *X*

ADDRESS OF PERSON SIGNING: *X* Hädderath 10
D-47623 Kerkelae

SIGNATURE: *X* *H. Verhaag*

DATE: *X* 30-04-2000

2/PRTS

09/508301
514 Rec'd PCT/PTO 09 MAR 2000
PCT/EP98/05765

WO 99/12428

PROCESS AND APPARATUS FOR THE TREATMENT OF FRESH MEAT

The present invention relates to a process for the treatment of fresh meat, in particular for preserving
5 fresh beef, pork, veal, lamb, game, poultry, horsemeat, fish, raw sausage and ham, in which the fresh meat is stored for a presettable time at a superatmospheric pressure in an air-tightly sealable space after supply of oxygen in an atmosphere essentially consisting of
10 oxygen. The invention also relates to an apparatus for carrying out such a process.

In the various known processes for the treatment of fresh meat, attempts have already been made to expose
15 the fresh meat to an oxygen atmosphere at elevated pressure in order in this manner to achieve the storage stability of the fresh meat and, in particular, to achieve a long-lasting fresh state which is expressed in an intense red meat color which is also to remain
20 for a plurality of days in the open state of the meat. In a known process, here, the pressure built up was decreased and built up again several times over the storage period, whereas in a further known process, the pressure which was built up once remained over the
25 entire storage period, but new oxygen was fed continuously and correspondingly old oxygen was removed from the space containing the fresh meat.

However, test results have shown that reliable
30 improvement in the storage stability of the fresh meat cannot be achieved using the known processes. Firstly, in many cases the treated meat pieces, after they were re-exposed to the ambient atmosphere after completion of the oxygen treatment, developed gray spots after a
35 relatively short time, which spots occurred particularly rapidly in particular at the contact points between two meat pieces. Secondly, the fresh meat pieces, after treatment had been carried out, were in many cases either frozen or swollen in a spongiform

manner and beset with bubbles, so that in one case they can no longer be marketed in accordance with the food regulations as fresh meat and in the other case can no longer be marketed at all.

5

An object of the invention is to develop a process of the type mentioned at the outset in such a manner that the desired storage stability of the fresh meat is achieved and the intensive red meat color accompanying this is reliably and repeatably achieved in virtually 100 percent of all treatments.

This object is achieved, starting from a process of the type mentioned at the outset, according to the invention by means of the fact that, during the supply of the oxygen, its temperature is selected such that, and the feed rate is set or controlled to be low enough that, the fresh meat does not freeze, that the pressure during the storage is selected to be high enough, and 20 the storage time long enough, so that the fresh meat is completely penetrated by oxygen, and that, during the removal of the oxygen, the removal rate is set or controlled to be low enough that, firstly, the fresh meat does not freeze and, secondly, the oxygen 25 permeating the treated fresh meat is removed from the fresh meat without bubble formation.

According to the invention it has been found that for a reliable and repeatable improvement in the storage 30 stability of fresh meat it is necessary that the fresh meat must be completely, i.e. to its core, penetrated by oxygen. Only if the pressure at which the oxygen impinges on the outer surface of the fresh meat is selected high enough, and the storage time long enough, 35 so that the fresh meat is completely penetrated by oxygen does the treated fresh meat remain, even after completion of the oxygen treatment, of constant quality for from 4 to 5 days, which is expressed by a constant intensive red meat color.

05503701-101000

The intensive red meat color is achieved by means of the fact that virtually every cell of the meat is enriched with oxygen, the carbon dioxide formed in the cells after slaughter being displaced by oxygen. If even only a minimal region of the treated meat is not penetrated by oxygen, after completion of the treatment and removal of the pressure acting on the meat, the carbon dioxide present in the untreated region can extend through all of the remaining region of the treated fresh meat. The oxygen treatment is reversible in this case, so that after a relatively short time the carbon dioxide penetrates to the outside of the treated meat and green or gray spots form there due to oxidation.

Only if the fresh meat is completely penetrated by oxygen as far as the core does there result an irreversible process which ensures that the desired intensive red color is retained over a plurality of days in the open state of the meat.

A further, essential discovery of the invention is that freezing of the fresh meat is caused not only by too rapid a supply of the oxygen at the beginning of the treatment but also by too rapid a removal of the oxygen at the end of the treatment. According to the invention, not only is the oxygen supply rate, but also the oxygen removal rate, set or controlled to be low enough to prevent freezing of the fresh meat. If the preset supply rate is substantially exceeded, the fresh meat freezes even at the beginning of the treatment, so that during storage the oxygen cannot penetrate into the meat and the desired permeation with oxygen does not take place.

If the rate during the removal of the oxygen is set too high, two different effects can occur. Firstly, the fresh meat can also freeze in this case, which leads to

the treated meat no longer being able to be termed fresh meat in accordance with food law provisions. Secondly, insufficient time is given to the oxygen which is present at high pressure in each cell of the

5 treated fresh meat to diffuse out of the meat into the ambient atmosphere. In the event of too rapid a removal of the oxygen, this leads to the cells, on completion of the treatment, still being filled with oxygen at a pressure above the ambient pressure. In this case the

10 meat has an expanded spongiiform consistency, with in addition, bubble or froth formation being able to occur on the meat surface due to the overpressure present in the meat and the moisture present in the meat.

15 According to a further advantageous embodiment of the invention, during the storage of the fresh meat there is no supply and removal of oxygen. It has been found that such a supply and removal is unnecessary and the best and most reliable results are achieved when the

20 meat, during the storage time, is exposed, completely sealed-off, to the pressure action of the oxygen present in the sealed space.

In addition, according to the invention, the fresh meat

25 is preferably treated in sliced pieces, in particular in consumer portions. Since it is essential that the meat to be treated is completely permeated by oxygen as far as its core, and such a complete penetration can be achieved in practice only with difficulty in the case

30 of unsliced large meat pieces, according to the invention preferably, sliced pieces are used. This ensures that at the preset parameters, such as pressure and treatment time, the meat pieces introduced into the space are completely penetrated by oxygen as far as

35 their core.

According to a further preferred embodiment of the invention, during supply of the oxygen the pressure present within the sealed-off space is measured and,

after a preset maximum pressure is reached, the oxygen supply is terminated. Preferably, the oxygen atmosphere in the sealed-off space in this case is brought to a pressure of approximately 10 to 20 bar, in particular approximately 13 to 17 bar, preferably approximately 15 bar, and maintained during the storage time. Whereas a pressure which is above a preset maximum pressure can pose technical problems, so that the housing of the sealable space and the door must be manufactured and secured in an appropriately stable and thus costly manner, in the case of a pressure below the preset maximum pressure, there is no assurance that the meat to be treated is completely penetrated by oxygen up to its core.

According to a further advantageous embodiment of the invention, during the supply of the oxygen the pressure is increased in an essentially linear manner, in particular in a plurality of steps, preferably between 10 and 20, in particular in approximately 15, steps. It has been found that in the case of a linear increase in pressure, in particular in a plurality of steps, a particularly reliable treatment result is achieved, at the same time, the risk of the meat freezing was reduced virtually to zero. However, it is also possible in principle to increase the pressure continuously. It is essential in all cases that during the pressure build-up an essentially constant throughput in liters is employed, i.e., that, per bar built up, essentially the same amount of oxygen is supplied. This can be ensured, for example, by using controllable valves.

Preferably, the oxygen is supplied within approximately 45 minutes to 4 hours, in particular within approximately 1 to 3 hours, preferably within 1 to 2 hours. Advantageously, this supply is performed continuously. Whereas in the case of relatively small plants, which have, for example, a volume of the order of magnitude of 100 liters, the oxygen can be supplied

in approximately 1 hour, in the case of larger plants which can have a volume up to 50,000 liters or more, a longer supply time is to be used.

- 5 Advantageously, in the case of a space having a volume of approximately 100 liters, a maximum of approximately 70 liters of oxygen per minute is supplied, in particular a maximum of approximately 30 to 60 liters of oxygen per minute or less. In the case of a space
- 10 having a volume of approximately 15,000 liters, preferably, a maximum of 2500 liters of oxygen per minute are supplied, advantageously a maximum of approximately 1400 liters of oxygen per minute, in particular a maximum of approximately 1200 liters of
- 15 oxygen per minute or less. If these throughputs in liters are exceeded, the meat situated in the sealed space freezes, so that the treatment no longer leads to the desired result.
- 20 According to a further advantageous embodiment of the invention, the storage time is selected to be approximately 5 to 15 hours, in particular approximately 7 to 12 hours, preferably approximately 8 to 10 hours. In this case the storage time is selected
- 25 advantageously, in the case of meat stored in advance to be shorter than in the case of freshly slaughtered meat. Compared with the known processes, the storage time is thus significantly reduced, as a result of which, firstly, the flexibility of the process, and
- 30 secondly, the economic efficiency, are significantly increased. This reduction in the treatment time is due to the control according to the invention of the oxygen supply rate and oxygen removal rate and to the discovery that after complete penetration of the fresh
- 35 meat with oxygen, further storage within the high-pressure oxygen is no longer required, since the treatment process has already become irreversible.

00500001.101000

According to a further preferred embodiment of the invention, during removal of the oxygen the pressure is decreased essentially linearly, in particular in a plurality of steps, preferably between 10 and 20, in particular in approximately 15, steps. Preferably, during removal of the oxygen, essentially the same time, in particular approximately 8 to 20 minutes, preferably approximately 13 to 16 minutes, is provided per bar of pressure decrease. Like the pressure build-up, the pressure removal can in principle also be performed continuously, in which case, in turn, essentially the same amount of oxygen or oxygen mixture is removed per bar of pressure decrease.

Precisely when the oxygen is removed, monitored control is necessary, since in addition to the freezing effects the described frothing effects with bubble formation can occur. If the oxygen is removed in such a manner that the pressure removal is performed essentially linearly, these adverse effects can be avoided.

Preferably, after a preset minimum pressure is reached, this is removed at a higher gradient. The minimum pressure in this case is advantageously selected to be between 0.5 and 1.2 bar, in particularly approximately 0.7 bar.

If the minimum pressure is selected to be too high, for example 1.5 bar, when the pressure removal gradient is increased, the meat freezes or froths from approximately 1 bar, even if the pressure removal, down to this pressure, was performed slowly enough. From the correct preset minimum pressure, an outlet valve limiting the oxygen removal can be opened virtually completely without the fresh meat freezing.

Preferably, the oxygen is removed in approximately 1 to 4 hours, in particular in approximately 3 hours. These values which are increased in comparison with the known

processes ensure that, firstly, the fresh meat does not freeze and, secondly, the oxygen present in the fresh meat cells is given sufficient time to escape from the meat without bubble formation and to remove the
5 superatmospheric pressure present in the meat.

According to a further preferred embodiment of the invention, the oxygen is supplied to the sealed space without prior removal of the gas mixture corresponding
10 to the ambient atmosphere. The gas mixture present in the sealed space at ambient pressure at the start of the treatment is compressed by the oxygen introduced at high pressure and mixed with the introduced oxygen. At a sufficiently high purity of the oxygen introduced,
15 which is, for example, at least 50%, in particular at least 90%, preferably at least 95%, the gas mixture present during storage in the space is ensured to have a sufficiently high oxygen content of at least 50%, in particular at least 90%, preferably at least 95%.

20 In principle, however, it is also possible that, prior to supplying the oxygen, the gas mixture corresponding to the ambient atmosphere present in the sealed space is removed as far as the generation of a preset reduced
25 pressure. In this manner, on introduction of oxygen of a correspondingly high degree of purity, the gas mixture present within the sealed-off space during storage can have a still higher oxygen content.

30 Further advantageous embodiments of the invention and an apparatus for carrying out the process of the invention are specified in the subclaims.

The invention is described in more detail below with
35 respect to an exemplary embodiment with reference to the drawings; in the drawings:

Fig. 1 shows a diagrammatic representation of an apparatus suitable for carrying out the process

09508301.101000

of the invention having a housing for receiving the meat to be treated and

Fig. 2 shows a diagrammatic side view of a carrier rack which can travel into the housing according to Fig. 1.

Fig. 1 shows a cylindrical housing 1 which is constructed in a sealed manner and preferably consists of a welded construction having a load-side orifice 2 which can be sealed tightly by means of a housing door 3. On the upper side of the housing 1 are mounted supply valves 4, 5, removal valves 6, 7, an evacuation pump 8 and an electronic control unit 9.

The supply valve 4 is connected via an oxygen inlet orifice 10 to the interior of the housing 1 and via a pipe or a tube 11 to an oxygen vaporizer 12. The oxygen vaporizer 12 is in turn connected via a pipe or a tube 13 to an oxygen tank 14. The oxygen tank 14 can be constructed here, according to requirements, as a high-capacity tank or else as a simple oxygen cylinder. When an oxygen cylinder is used, in which the oxygen is usually present in the gaseous state, the vaporizer 12 can be omitted. Oxygen cylinders here can preferably be used in relatively small plants. In principle, the oxygen can also be delivered, for example, via an external oxygen line or by an oxygen generator, so that the oxygen tank 14 in these cases can be omitted. Depending on the physical state of the oxygen provided, an oxygen vaporizer to generate gaseous oxygen may be necessary.

The removal valve 6 is connected via an oxygen removal orifice 15 to the interior of the housing 1 and, via a pipe 16, which is conducted, for example, through an exterior wall 17, to the ambient atmosphere.

The supply and removal valves 5 and 7 are likewise each connected via oxygen inlet or removal orifices 18, 19, respectively, to the interior of the housing 1, so that on opening these valves 5 and 7, the interior of the housing 1 is connected to the ambient atmosphere. The evacuation pump 8 is connected via an evacuation orifice 32 to the interior of the housing 1, so that the gas mixture present in each case in the housing 1 can be taken off by the evacuation pump 8.

In the interior of the housing 1 are provided two guide rails 20 which extend on the side walls horizontally essentially over the entire length of the housing 1. In the lower region of the orifice 2 is constructed a docking section 21 which can be coupled to a docking counterpiece 22 shown in Fig. 2.

Fig. 2 shows a carrier rack 23 which consists of a welded construction and is arranged on a lower frame 24. The lower frame 24 is in turn arranged on a mobile lift truck 25, so that the carrier rack 23 can be transported together with the lower frame 24 via the lift truck 25.

In the interior of the carrier rack 23 are disposed four deposit pans 26, 26', each of which has a rim 27 which is bent upward, which rim in the two central deposit pan [sic] 26' in Fig. 2 is shown partially broken away. In Fig. 2, solely for simplification, only four deposit pans are shown. In practice, several hundred deposit pans can be disposed in one carrier rack.

In the upper deposit pan 26', perforated deposit grids 28 are provided on which meat pieces 29 which are sliced into consumer portions are arranged adjacently. The holes in the deposit grids 28 and the spacing present between the deposit grids 28 and the bottom of the deposit pans 26, 26', ensure that the meat pieces

29 are accessible on all sides to the oxygen present in the interior of the housing 1 and therefore the oxygen can diffuse unimpeded into the meat pieces 29.

- 5 A further possible design of the deposit pans is shown by the lower deposit pan 26'. This deposit pan 26' essentially has over its entire length a zig-zag-shaped profile 30, so that the meat pieces 29 only lie upon the top edges of the profile and the oxygen can pass
- 10 essentially unimpeded through the longitudinal recesses on the underside of the meat pieces. This design of the deposit pans also ensures that the meat pieces 29 are accessible on all sides to the oxygen present in the interior of the housing 1 and therefore the oxygen can
- 15 diffuse unimpeded into the meat pieces 29. In this case, there is no need to insert deposit grids. Typical values for the height of the zig-zag-shaped profile can be, for example, approximately 10 mm and for the spacings between two adjacent support edges
- 20 approximately 8 to 10 mm. If the housing 1 is not disposed horizontally, as shown in Fig. 1, but is disposed vertically, instead of the deposit pans, deposit baskets which can be inserted into the housing from the top can be provided, which baskets are
- 25 provided with perforated plates in the insert bottom.

On the underside of the carrier rack 23 are provided a multiplicity of rollers 31 over which the carrier rack 23 can be slid on the lower frame 24.

30

When the lift truck 25 together with the carrier rack 23 and the lower frame 24 situated thereon, is slid up to the housing 1, when the housing door 3 is open, the docking counterpiece 22 disposed on the front of the

35 lower frame 24 is pushed into the orifice 2 until it overlaps the docking section 21 provided in the orifice region. The carrier rack 23 and the lower frame 24 are then lowered via the lift truck 25 until the feet of the lower frame 24 sit on the bottom. The rear of the

docking section 21 is thus engaged by the docking counterpiece 22, so that the lower frame 24 is coupled to the housing 1.

- 5 The height of the lower frame 24 is selected such that after setting down the lower frame 24, the rollers 31 of the carrier rack 23 are at the height of the guide rails 20 mounted laterally in the interior of the housing 1, so that the carrier rack 23 can be pushed
10 off the lower frame 24 and on the guide rails 20 into the interior of the housing 1.

- The valves 4 and 6 are each preferably constructed as controllable solenoid valves which [lacuna] each have a
15 changeable orifice cross-sectional area and, secondly, are each completely closeable to shut off the oxygen supply or removal. The valves 5 and 7, in contrast, can be constructed as simple shut-off valves. To the valve 5 is connected a bent pipe 33 curved downward which
20 prevents water or dirt being able to pass through the valve 5 into the interior of the housing. In the interior of the housing 1 a pressure gage 34, which is shown dashed, is provided for measuring the internal pressure.

- 25 The process of the invention is described in more detail below with respect to the apparatus shown in the figures:

- 30 The meat pieces 29 to be treated are laid onto the deposit grids 28 or the deposit pans 26, 26', so that each of the meat pieces 29 can be reached on all sides by the gas atmosphere surrounding the meat piece 29. The deposit grids 28 are inserted into the deposit pans
35 26, 26' and, within the carrier rack 23 are transported together with the lower frame 24 via the lift truck 25 to the open door 3 of the housing 1. The carrier rack 23, together with the lower frame 24, is then lowered via the lift truck 25, so that the lower frame 24 is

The carrier rack 23 is pushed from the lower frame 24
5 onto the guide rails 20 and along these into the
interior of the housing 1. In this manner, for example,
up to six carrier racks 23 can be pushed one after the
other into the housing 1, so that, at for example 61
deposit pans per carrier rack, up to 366 deposit pans
10 can be pushed into the housing 1.

After all carrier racks 23 have been pushed into the housing 1, the housing door 3 is closed and locked gastightly and pressure-tightly, for example via a bayonet closure.

In this initial state, the solenoid valves 4, 5, 6 and 7 are closed.

20 The interior of the housing 1 is then evacuated by the
evacuation pump 8 until the desired reduced pressure is
reached within the housing 1.

After completion of the evacuation of the housing interior, the solenoid valve 4 is opened so that the oxygen which is at superatmospheric pressure can flow from the oxygen tank 14 via the pipe 13 to the vaporizer 12. The oxygen which is stored in liquid form in the oxygen tank 14 is converted in the vaporizer 12 into its gaseous state, so that it can flow via the pipe 11 and the supply valve 4 into the interior of the housing 1.

In principle, it is also possible to introduce the
35 oxygen into the housing interior without prior
evacuation. In this case, the evacuation pump 8 can
either be omitted completely or be used only in the
removal, which is described below, of the residual
oxygen from the housing interior.

When oxygen is supplied from the oxygen tank 14, the solenoid valve 4 is controlled in such a manner that a preset oxygen intake rate into the interior of the housing 1 is not exceeded.

The supply of the oxygen is subjected to closed-loop control by controlling the solenoid valve 4. A control voltage which is subjected to closed-loop control by the electronic control unit 9 is applied to the solenoid valve 4, by means of which control voltage the orifice cross-sectional area of the solenoid valve 4 can be subjected to closed-loop control. By stepwise increase of the control voltage, for example starting from 0.5 volts, each time by a value of, for example, 0.2 volts, a linear increase in the pressure of the oxygen present in the housing is achieved, as result of which the meat pieces 29 are prevented from freezing due to oxygen flowing in too rapidly.

The pressure increasing in the interior of the housing 1 is measured by the pressure gage 34 and transmitted to the electronic control unit 9. After the desired internal pressure of, for example, approximately 15 bar has been reached, the solenoid valve 4 is closed by the electronic control unit 9, so that the housing 1 is sealed off airtightly from the surroundings. In this state, the degree of purity of the oxygen gas present in the housing 1 is preferably greater than 93%.

The high-purity oxygen atmosphere acts, at the high pressure, on the meat pieces 29 and penetrates these completely right to their core owing to the high pressure. The carbon dioxide present in the cells of the meat pieces 29 is displaced by the oxygen, so that after a storage time of approximately 8 to 12 hours, all cells of the meat pieces 29 are filled with oxygen.

After this storage time, the solenoid valve 6 is activated by the electrical control unit 9, in this case also, an increase in the control voltage applied to the solenoid valve 6 by the electrical control unit 9 leading to an increase in the effective flow cross-sectional area of the solenoid valve 6. The control voltage is in turn increased, for example starting from an initial value of 0.5 volts, in steps of, for example, approximately 0.2 volts, as a result of which an essentially linear pressure decrease takes place. The control voltage in this case is increased in time intervals in such a manner that every 16 minutes the internal pressure present in the housing 1 is reduced by 1 bar.

When after approximately 3 hours, the internal pressure has decreased to 0.7 bar, the solenoid valve 6 is opened completely, so that the residual superatmospheric pressure still present in the housing 1 is removed completely. For a more rapid complete emptying of the housing 1, in addition, the solenoid valve 7 can be opened, which solenoid valve has a particularly large orifice cross-sectional area.

Since, even after this pressure removal, the atmosphere present in the housing 1 consists virtually of pure oxygen, prior to opening the housing door 3, the highly concentrated oxygen atmosphere is taken off from the housing 1 via the evacuation pump 8. For this purpose, in cyclic alternation, the evacuation pump 8 is actuated and the solenoid valve 5 is opened, so that by means of the reduced pressure produced in each case in the interior of the housing 1, which is for example, 50 mbar below the ambient pressure, ambient atmosphere is drawn into the housing 1 via the valve 5. After, for example, 20 minutes of cyclic alternation, the pure oxygen has been taken off virtually completely from the housing interior, so that the gas mixture present in the interior of the housing 1 corresponds to the

ambient atmosphere and the housing door 3 can be opened without hazard.

After opening the housing door 3, the treated meat
5 pieces 29 can be withdrawn from the housing 1.

It is also possible in principle to leave the valve 5 open during the operation of the evacuation pump 8, so that ambient atmosphere is continuously introduced into
10 the housing interior. In addition, the valves 4 and 6 can also be constructed combined as a single controllable valve. In this case, the oxygen can both be supplied and removed via a single valve provided on the housing. The pipes 11 and 16 must in this case be
15 connected to the valve, for example, via a T connection and separate shut-off valves. Likewise, the valves 5 and 7 can be constructed as a single valve.

By means of the oxygen treatment in which the meat
20 pieces 29 were penetrated with oxygen to their core, the meat pieces 29 have an intensive red meat color which remains for a period of 4 to 5 days, even in the open state in the ambient atmosphere. It is also possible here to seal the treated fresh meat into
25 conventional vacuum packages after completion of the treatment and then to freeze it or first to freeze it then to seal it into vacuum packages. While untreated meat during freezing customarily adopts a brown coloration, the meat treated according to the invention
30 retains its intensive red color even in the frozen state, so that in this case, also, the optical fresh impression of the treated fresh meat can be significantly improved in comparison with untreated meat.

PATENT CLAIMS:

1. Process for the treatment of fresh meat, in particular for preserving fresh beef, pork, veal, lamb, game, poultry, horsemeat, fish, raw sausage and ham, in which the fresh meat is stored for a presettable time at a superatmospheric pressure in an air-tightly sealable space after supply of oxygen in an atmosphere essentially consisting of oxygen, characterized in that, during the supply of the oxygen, its temperature is selected such that, and the feed rate is set or controlled to be low enough that, the fresh meat does not freeze, in that the pressure during the storage is selected to be high enough, and the storage time long enough, so that the fresh meat is completely penetrated by oxygen, and in that, during the removal of the oxygen, the removal rate is set or controlled to be low enough that, firstly, the fresh meat does not freeze and, secondly, the oxygen permeating the treated fresh meat is removed from the fresh meat without bubble formation.
2. Process according to Claim 1, characterized in that during the storage there is no supply and removal of oxygen and/or in that the fresh meat is treated in sliced pieces, in particular in consumer portions and/or in that, during supply of the oxygen the pressure present within the sealed-off space is measured and, after reaching a preset maximum pressure, the oxygen supply is terminated.
3. Process according to one of the preceding claims, characterized in that the oxygen atmosphere in the sealed-off space is brought to a pressure of approximately 10 to 20 bar, in particular approximately 13 to 17 bar,

- preferably approximately 15 bar and is maintained during the storage time and/or in that, during supply of the oxygen, the pressure is increased in an essentially linear manner, in particular continuously or in a plurality of steps, preferably between 10 and 20, in particular in approximately 15 steps, and/or in that the oxygen is supplied within approximately 45 minutes to 4 hours, in particular within approximately 1 to 3 hours, preferably within 1 to 2 hours, in particular continuously.
4. Process according to one of the preceding claims, characterized in that
- in a space having a volume of approximately 100 liters, a maximum of approximately 70 liters of oxygen per minute, in particular a maximum of approximately 30 to 60 liters of oxygen per minute, or less, are supplied and/or in that in the case of a space having a volume of approximately 15,000 liters, a maximum of approximately 2500 liters of oxygen per minute are supplied, advantageously a maximum of approximately 1400 liters of oxygen per minute, in particular a maximum of approximately 1200 liters of oxygen per minute or less.
5. Process according to one of the preceding claims, characterized in that
- the storage time is selected to be approximately 5 to 15 hours, in particular approximately 7 to 12 hours, preferably approximately 8 to 10 hours, and/or in that the storage time in the case of meat stored in advance is selected to be shorter than in the case of freshly slaughtered meat.
6. Process according to one of the preceding claims, characterized in that

during removal of the oxygen the pressure is decreased essentially linearly, in particularly continuously, or in a plurality of steps, preferably between 10 and 20, in particular in approximately 20, steps and/or in that during removal of the oxygen, essentially the same time, in particular approximately 8 to 20 minutes, preferably approximately 13 to 16 minutes, is provided per bar of pressure decrease.

10

7. Process according to one of the preceding claims, characterized in that after reaching a preset minimum pressure of preferably between approximately 0.5 and 1.2 bar, in particular approximately 0.7 bar, this pressure is removed at a higher gradient.

15

8. Process according to one of the preceding claims, characterized in that the oxygen is removed within approximately 1 to 4 hours, in particular within approximately 3 hours, and/or in that the supply and/or removal of the oxygen is carried out via a controllable inlet or outlet valve.

20

9. Process according to Claims 7 and 8, characterized in that after reaching the minimum pressure, the outlet valve is essentially completely opened and/or a further outlet valve having a large orifice cross-sectional area is opened.

25

30

10. Process according to one of the preceding claims, characterized in that the oxygen is supplied to the sealed space without prior removal of the gas mixture corresponding to the ambient atmosphere or in that, prior to supply of the oxygen, the gas mixture corresponding to the ambient atmosphere present in the sealed space

35

00000001-10000000

is removed as far as the generation of a preset reduced pressure.

11. Process according to one of the preceding claims,
5 characterized in that
the oxygen supplied has a degree of purity of at
least 50%, in particular at least 90%, preferably
at least 95% and/or in that the oxygen atmosphere
during the storage has a degree of purity of at
10 least 50%, in particular at least 90%, preferably
at least 95%.
12. Process according to one of the preceding claims,
characterized in that
15 the fresh meat is introduced into the sealable
space in the chilled state, in particular at a
temperature in the range from approximately 0°C to
3°C and in that the temperature in the sealed
space is maintained during the storage, preferably
20 in a range of approximately -5° to +3°C.
13. Apparatus for carrying out the process according
to one of the preceding claims,
characterized by
25 a housing (1) in which are provided an air-tightly
sealable opening (2) for introducing/removing the
fresh meat (29) on a carrier rack (23), an inlet
orifice (10) which can be connected to at least
one oxygen supply (14, 12) and opens out in
30 particular on the ceiling side and at least one
removal orifice (15) which is arranged in
particular on the ceiling side, and ensures a
defined outflow from the interior of the housing
(1).
- 35 14. Apparatus according to Claim 13,
characterized in that,
on the inlet orifice (10) for supplying oxygen, a
controllable supply valve, in particular a

solenoid valve (4) is provided, via which the oxygen supply rate per unit time and/or supply velocity can be controlled, and/or in that at the removal orifice (15) for removing the high-pressure oxygen atmosphere, a controllable removal valve, in particular, a solenoid valve (6), is provided, via which the oxygen removal rate per unit time and/or the removal velocity can be controlled.

10

15. Apparatus according to one of Claims 13 or 14, characterized in that an electronic control unit (9) is provided, via which the orifice cross-sectional area of the supply valve (4) and/or the removal valve (6) can be controlled, and/or in that the housing (1) is constructed to be rectangular or cylindrical, with the opening (2) for introducing/removing the fresh meat (29) being provided in each case in the ends of the housing (1).

15

20

16. Apparatus according to one of Claims 13 to 15, characterized in that , for the air- and pressure-tight sealing of the housing door (3), a bayonet closure is provided and/or in that for the air- and pressure-tight sealing of the orifice (2) via the housing door (3) a bayonet closure is provided and/or in that the oxygen is supplied via an oxygen distribution apparatus disposed within or outside the housing (1), which distribution apparatus consists in particular of tube elements arranged in a star shape, i.e. radially spaced.

25

30

35 17. Apparatus according to one of Claims 13 to 16, characterized in that the housing (1) for removing the gas mixture corresponding to the ambient atmosphere has an evacuation orifice (32) preferably disposed on the

Fig. 1





Fig. 2



Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

the specification of which

(check one)

☐ is attached hereto.

☒ was filed on September 10, 1998 as United States Application No. or PCT International Application Number PCT/EP98/05765 and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

<u>197 39 789.1</u>	<u>Germany</u>	<u>September 10, 1997</u>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	
_____	_____	_____	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	
_____	_____	_____	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	

EXHIBIT

tabbies

D

06508301-101000

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

_____ (Application Serial No.)	_____ (Filing Date)
_____ (Application Serial No.)	_____ (Filing Date)
_____ (Application Serial No.)	_____ (Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Ernest I. Gifford, P.O. Reg. No. 20,644

Avery N. Goldstein, P.O. Reg. No. 39,204

Allen M. Krass, P.O. Reg. No. 18,277

Mark D. Schneider, P.O. Reg. No. 34,906

Irvin L. Grob, P.O. Reg. No. 17,505

David R. Kurlandsky, P.O. Reg. No. 41,505

Douglas W. Sprinkle, P.O. Reg. No. 27,394

Thomas E. Anderson, P.O. Reg. No. 31,318

Ronald W. Citkowski, P.O. Reg. No. 31,005

Judith M. Riley, P.O. Reg. No. 31,561

Douglas J. McEvoy, P.O. Reg. No. 34,385

Ellen S. Cogen, P.O. Reg. No. 38,109

Roberta J. Morris, P.O. Reg. No. 33,196

John G. Posa, P.O. Reg. No. 37,424

14

Send Correspondence to: Douglas W. Sprinkle
Gifford, Krass, Grob, Sprinkle, Anderson & Citkowski, P.C.
280 N. Old Woodward, Suite 400
Birmingham, AL 35202

Direct Telephone Calls to: (name and telephone number)
Douglas W. Sprinkle - (248) 647-6000

Full name of sole or first inventor <u>Juergen SCHLEGEL</u>	
Sole or first inventor's signature <u>X</u>	Date <u>X</u>
Residence <u>Hauptstrasse 9, D-79224 Umkirch</u>	
Citizenship <u>German</u>	
Post Office Address <u>Hauptstrasse 9</u>	
<u>79224 Umkirch / Germany</u>	

Full name of second inventor, if any <u>Hubert VERHAAG</u>	
Second inventor's signature <u>X</u> <u>H. Verhaag</u>	Date <u>30-04-2000</u>
Residence <u>Huedderath 10, D-47623 Kevelaer</u>	
Citizenship <u>German</u>	
Post Office Address <u>Huedderath 10, D-47623 Kevelaer / Germany</u>	

000001 1000000

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Ernest I. Gifford, P.O. Reg. No. 20,644

Allen M. Krass, P.O. Reg. No. 18,277

Irvin L. Groh, P.O. Reg. No. 17,505

Douglas W. Sprinkle, P.O. Reg. No. 27,394

Thomas E. Anderson, P.O. Reg. No. 31,318

Ronald W. Citkowski, P.O. Reg. No. 31,005

Judith M. Riley, P.O. Reg. No. 31,561

Douglas J. McEvoy, P.O. Reg. No. 34,385

Ellen S. Cogen, P.O. Reg. No. 38,109

Roberta J. Morris, P.O. Reg. No. 33,196

John G. Posa, P.O. Reg. No. 37,424

Avery N. Goldstein, P.O. Reg. No. 39,204

Mark D. Schneider, P.O. Reg. No. 34,906

David R. Kurlandsky, P.O. Reg. No. 41,505

Send Correspondence to: Douglas W. Sprinkle
Gifford, Krass, Groh, Sprinkle, Anderson & Citkowski, P.C.
280 N. Old Woodward, Suite 400
Birmingham, MI 48009

Direct Telephone Calls to: (name and telephone number)
Douglas W. Sprinkle - (248) 647-6000

Full name of ^{third} sole inventor Wilfried SCHWOERER	
Third sole inventor's signature	X <i>4 signed Wilfried</i> X <i>03.01.1990</i>
Residence	70 rue principal, F-67390 Artolsheim
Citizenship	German
Post Office Address	70 rue principal, 67390 Artolsheim, France

Full name of second inventor, if any	
Second inventor's signature	Date
Residence	
Citizenship	
Post Office Address	